


G Protein Signaling Modulator 2 (GPSM2) Antibody

Catalogue No.: abx125904



Western blot analysis of various lysates using GPSM2 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 10s.

GPSM2 Antibody is a Rabbit Polyclonal against GPSM2.

Target: G Protein Signaling Modulator 2 (GPSM2)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/1000 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 380-490 of human GPSM2.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P81274 ([UniProt](#), [ExPASy](#))

Gene Symbol: GPSM2

GeneID: [29899](#)

Datasheet

Version: 3.0.0

Revision date: 29 May 2025



NCBI Accession: NP_037428.3

KEGG: hsa:29899

String: [9606.ENSP00000385510](#)

Molecular Weight: Calculated MW: 77 kDa
Observed MW: 76 kDa

Buffer: PBS, pH 7.3, containing 0.01% thimerosal, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only