



Tyrosine-Protein Kinase JAK3 (JAK3) Antibody

Catalogue No.: abx126022



Western blot analysis of various lysates, using JAK3 Antibody at 1/2000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 60s.



Immunofluorescence analysis of TF-1 cells using JAK3 Antibody at dilution of 1/50 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) at 1/500 dilution. Blue: DAPI for nuclear staining.

Tyrosine-Protein Kinase JAK3 (JAK3) Antibody is a Rabbit Polyclonal against Tyrosine-Protein Kinase JAK3 (JAK3).

Target:	Tyrosine-Protein Kinase JAK3 (JAK3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IF/ICC
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/1000 - 1/5000, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to JAK3. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.

Datasheet

Version: 4.0.0
Revision date: 06 Oct 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P52333 ([UniProt](#), [ExPASy](#))

Gene Symbol: JAK3

GeneID: [3718](#)

NCBI Accession: NP_000206.2

KEGG: hsa:3718

String: [9606.ENSP00000391676](#)

Molecular Weight: Calculated MW: 125 kDa
Observed MW: 115 kDa

Buffer: PBS, pH 7.3, containing 0.05% Proclin-300, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only