


Poly[ADP-Ribose] Glycohydrolase (PARG) Antibody

Catalogue No.: abx126321



Western blot analysis of lysates from PC-3 cells, using PARG Antibody at 1/400 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution.
Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

PARG Antibody is a Rabbit Polyclonal against PARG.

Target:	Poly[ADP-Ribose] Glycohydrolase (PARG)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to PARG. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q86W56 (UniProt , ExPASy)
Gene Symbol:	PARG
GeneID:	8505

Datasheet

Version: 1.0.0

Revision date: 15 Oct 2025



NCBI Accession: NP_003622.2

KEGG: hsa:8505

String: [9606.ENSP00000384408](#)

Molecular Weight: Calculated MW: 111 kDa
Observed MW: 111 kDa

Buffer: PBS, pH 7.3, containing 0.05% Proclin-300, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only