



Protein Tyrosine Kinase 2 Beta (PTK2) Antibody


Catalogue No.: abx126434




Immunohistochemistry of paraffin-embedded Human colon using FAK Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Human stomach using FAK Antibody (1/100 dilution, 40x lens).



Immunofluorescence analysis of HeLa cells using FAK Antibody (1/100 dilution). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of PC12 cells using FAK Antibody (1/100 dilution). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of RAW264.7 cells using FAK Antibody (1/100 dilution). Blue: DAPI for nuclear staining.

Datasheet

Version: 3.0.0
Revision date: 20 Mar 2025



PTK2 Antibody is a Rabbit Polyclonal against PTK2.

Target:	Protein Tyrosine Kinase 2 Beta (PTK2)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	IHC-P: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A synthetic peptide corresponding to human FAK
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q05397 (UniProt , ExPASy)
Gene Symbol:	PTK2
GeneID:	5747
NCBI Accession:	NP_722560.1
KEGG:	hsa:5747
String:	9606.ENSP00000341189
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	1 mg/ml

Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only