



Signal Recognition Particle Subunit SRP72 (SRP72) Antibody


Catalogue No.: abx127057




Western blot analysis of extracts of various cell lines using SRP72 Antibody (1/1000 dilution).




Immunohistochemistry of paraffin-embedded human colon carcinoma using SRP72 Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffin-embedded human esophageal cancer using SRP72 Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunohistochemistry of paraffin-embedded rat brain using SRP72 Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunofluorescence analysis of HeLa cells using SRP72 Antibody (1/100 dilution, 40x lens). Blue: DAPI for nuclear staining.

Datasheet

Version: 2.0.0
Revision date: 07 Jun 2025



Immunofluorescence analysis of NIH/3T3 cells using SRP72 Antibody (1/100 dilution, 40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of PC-12 cells using SRP72 Antibody (1/100 dilution, 40x lens). Blue: DAPI for nuclear staining.

SRP72 Antibody is a Rabbit Polyclonal against SRP72.

Target: Signal Recognition Particle Subunit SRP72 (SRP72)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein corresponding to human SRP72

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 2.0.0
Revision date: 07 Jun 2025



UniProt Primary AC: O76094 ([UniProt](#), [ExPASy](#))

Gene Symbol: SRP72

GeneID: [6731](#)

NCBI Accession: NP_008878.3

KEGG: hsa:6731

String: [9606.ENSP00000342181](#)

Molecular Weight: Calculated MW: 67 kDa/74 kDa
Observed MW: 72 kDa

Buffer: PBS, pH 7.3, containing 0.05% Proclin-300, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only