


## Vaccinia Virus Lister Strain Antibody (FITC)

Catalogue No.: abx023199



Fluorescence emission spectra of FITC.

Vaccinia Virus Lister Strain Antibody (FITC) is a Rabbit polyclonal antibody conjugated to FITC against Vaccinia Virus Lister Strain.

**Target:** Vaccinia Virus Lister Strain

**Clonality:** Polyclonal

**Reactivity:** Virus

**Tested Applications:** ELISA, IHC, IF/ICC

**Host:** Rabbit

**Recommended dilutions:** IHC-P: Proteinase K digestion recommended. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** FITC

**Excitation/Emission:** 499/515

**Laser Line:** 488

**Immunogen:** Lister Strain (mixture of virions and infected cell polypeptides).

**Form:** Liquid

**Purification:** Covalently coupled with high purity Isomer I of fluorescein isothiocyanate. Care is taken to ensure complete removal of any free fluorescein from the final product.

**Storage:** Store in the dark between 2-8 °C for up to 6 months. For long-term storage, aliquot and store in the dark at -20 °C. Avoid repeated freeze/thaw cycles.

**Buffer:** 0.01 M PBS, pH 7.2, containing 10 mg/ml BSA and 0.1% NaN<sub>3</sub>.

# Datasheet

Version: 4.0.0

Revision date: 06 Sep 2025



<b>Specificity:</b>	Recognises purified virions. Does not cross-react with Parainfluenza (1-3), RSV, Adenovirus, Influenza A & B or HSV-1. Does not react with uninfected cells. Reactive with Lister, Wyeth, New York City and MVA strains of Vaccinia.
<b>Concentration:</b>	5 mg/ml
<b>Note:</b>	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.
<b>Directions for use:</b>	Centrifuge before opening to ensure complete recovery of vial contents.

For Reference Only