



Blood Group RhD Polypeptide (RHD) Antibody


Catalogue No.: abx318000




WB analysis of various whole cell lysates, using Blood Group RhD Polypeptide (RHD) Antibody (1/1000 dilution). Calculated MW: 35 kDa, 42 kDa, 44 kDa, 46 kDa, 54 kDa and Observed MW: 35 kDa.




IF analysis of HeLa cells, using Blood Group RhD Polypeptide (RHD) Antibody (1/100 dilution) with DAPI and AF488-conjugated Goat anti-Rabbit IgG (H+L).



IF analysis of HeLa cells using 5% goat serum with DAPI and AF488-conjugated Goat anti-Rabbit IgG (H+L).



IF analysis of A549 cells, using Blood Group RhD Polypeptide (RHD) Antibody (1/100 dilution) with DAPI and AF488-conjugated Goat anti-Rabbit IgG (H+L).



IF analysis of A549 cells, using 5% goat serum with DAPI and AF488-conjugated Goat anti-Rabbit IgG (H+L).

Datasheet

Version: 5.0.0
Revision date: 27 Aug 2025



RHD Antibody is a Rabbit Polyclonal against RHD.

Target:	Blood Group RhD Polypeptide (RHD)
Research Area:	Hematology
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1/1000 - 1/3000, IF/ICC: 1/20 - 1/100. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Synthesized peptide derived from Human Blood group Rh (D) polypeptide protein (161-210 AA).
Isotype:	IgG
Form:	Liquid
Purification:	Antigen Affinity Chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q02161 (UniProt , ExPASy)
Gene Symbol:	RHD
GeneID:	6007
OMIM:	111680
NCBI Accession:	NP_001121163.1
KEGG:	hsa:6007
Buffer:	PBS containing 0.02% Sodium Azide, 50% Glycerol and 0.5% BSA.
Concentration:	1 mg/ml

Datasheet

Version: 5.0.0

Revision date: 27 Aug 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only