



Tyrosine-Protein Kinase BTK (BTK) Antibody


Catalogue No.: abx230980



WB analysis of mouse spleen tissue, using BTK antibody (1/300 dilution).



IHC-P analysis of rat spleen tissue, using BTK antibody (1/100 dilution).



IF analysis of HeLa cells, using BTK antibody (1/50 dilution).

BTK Antibody is a Rabbit Polyclonal against BTK.

Target: Tyrosine-Protein Kinase BTK (BTK)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/50 - 1/100, IF/ICC: 1/50 - 1/100. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 05 Sep 2025



Immunogen:	Bruton agammaglobulinemia tyrosine kinase
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q06187 (UniProt , ExPASy)
KEGG:	hsa:695
String:	9606.ENSP00000483570
Molecular Weight:	Observed MW: 70-76 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.