



Coiled Coil And C2 Domain Containing 2A (CC2D2A) Antibody

Catalogue No.: abx231337



WB analysis of HEK-293 cells, using CC2D2A antibody (1/500 dilution).



IHC-P analysis of human lung cancer tissue, using CC2D2A Antibody (1/50 dilution).

CC2D2A Antibody is a Rabbit Polyclonal against CC2D2A.

Target: Coiled Coil And C2 Domain Containing 2A (CC2D2A)**Clonality:** Polyclonal**Reactivity:** Human, Mouse**Tested Applications:** ELISA, WB, IHC, IF/ICC**Host:** Rabbit**Recommended dilutions:** WB: 1/500 - 1/1000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.**Conjugation:** Unconjugated**Immunogen:** coiled-coil and C2 domain containing 2A**Isotype:** IgG**Form:** Liquid**Purity:** ≥ 95% (SDS-PAGE)

Datasheet

Version: 3.0.0
Revision date: 20 Jun 2025



Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9P2K1 (UniProt , ExPASy)
Gene Symbol:	CC2D2A
GeneID:	57545
OMIM:	216360
HGNC:	29253
Ensembl:	ENSG00000048342
String:	9606.ENSP00000403465
Molecular Weight:	Observed MW: 190 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.