



Molybdenum Cofactor Synthesis 1 (MOCS1) Antibody

Catalogue No.: abx025653



MONDOA forms heterodimers with MLX (MIM 602976) that can bind to and activate transcription from CACGTG E boxes (Billin et al., 2000 [PubMed 11073985]).

Target: Molybdenum Cofactor Synthesis 1 (MOCS1)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 462-490 amino acids from the C-terminal region of human MOCS1.

Isotype: IgG

Form: Liquid

Datasheet

Version: 3.0.0
Revision date: 26 Jun 2025



Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9NZB8 (UniProt , ExPASy)
Gene Symbol:	MOCS1
String:	9606.ENSP00000362282
Molecular Weight:	Calculated MW: 70.1 kDa
Buffer:	PBS containing 0.09% sodium azide.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only