



Dedicator Of Cytokinesis Protein 1 (DOCK1) Antibody


Catalogue No.: abx232492



WB analysis of HEK-293 cells, using DOCK1 antibody (1/1000 dilution).



IHC-P analysis of human colon tissue, using DOCK1 Antibody (1/50 dilution).



IP analysis of HeLa cell lysate (3200 µg), using DOCK180 antibody (4 µg, detection: 1/1000 dilution).

DOCK180 Antibody is a Rabbit Polyclonal against DOCK180.

Target: Dedicator Of Cytokinesis Protein 1 (DOCK1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC, IF/ICC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200, IF/ICC: 1/10 - 1/100, IP: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 30 May 2025



Immunogen:	dedicator of cytokinesis 1
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q14185 (UniProt , ExPASy)
Gene Symbol:	DOCK1
GeneID:	1793
OMIM:	601403
HGNC:	2987
KEGG:	hsa:1793
Ensembl:	ENSG00000150760
String:	9606.ENSP00000280333
Molecular Weight:	Observed MW: 180 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.