



Myc Tag Antibody

Catalogue No.: abx235456



WB analysis of Myc-tagged fusion protein, using MYC tag antibody (1/10000 dilution).



IP analysis of Transfected HEK-293 cell lysate (1000 µg), using MYC tag antibody (4 µg, detection: 1/5000 dilution).

Myc Tag Antibody is a Mouse Monoclonal against Myc Tag.

Target: Myc Tag

Clonality: Monoclonal

Reactivity: General

Tested Applications: ELISA, WB, IF/ICC, IP

Host: Mouse

Recommended dilutions: WB: 1/2000 - 1/20000, IF/ICC: 1/10 - 1/100, IP: 1/2000 - 1/20000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: MYC-tag

Isotype: IgG_{2a}

Form: Liquid

Purity: ≥ 95% (SDS-PAGE)

Datasheet

Version: 1.0.0

Revision date: 06 Jun 2025



Purification: Purified by Protein A and Protein G affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Validity: 12 months.

Buffer: PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.

Concentration: 2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only