



N-Acetyl-D-Glucosamine Kinase (NAGK) Antibody

Catalogue No.: abx235538



WB analysis of human brain tissue, using NAGK antibody (1/600 dilution).



IHC-P analysis of human kidney tissue, using NAGK antibody (1/200 dilution).

NAGK Antibody is a Rabbit Polyclonal against NAGK.

Target: N-Acetyl-D-Glucosamine Kinase (NAGK)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/1000, IHC: 1/50 - 1/500, IF/ICC: 1/50 - 1/500. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: N-acetylglucosamine kinase

Isotype: IgG

Form: Liquid

Purity: ≥ 95% (SDS-PAGE)

Datasheet

Version: 2.0.0
Revision date: 13 Oct 2025



Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9UJ70 (UniProt , ExPASy)
Gene Symbol:	NAGK
GeneID:	55577
OMIM:	606828
HGNC:	17174
Ensembl:	ENSG00000124357
String:	9606.ENSP00000477639
Molecular Weight:	Observed MW: 37 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.