



Sterol-4-Alpha-Carboxylate 3-Dehydrogenase, Decarboxylating (NSDHL) Antibody

Catalogue No.: abx235864



WB analysis of HeLa cells, using NSDHL antibody (1/500 dilution).



IHC-P analysis of human skin cancer tissue, using NSDHL antibody (1/100 dilution).

NSDHL Antibody is a Rabbit Polyclonal against NSDHL.

Target: Sterol-4-Alpha-Carboxylate 3-Dehydrogenase, Decarboxylating (NSDHL)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: NAD (P) dependent steroid dehydrogenase-like

Isotype: IgG

Form: Liquid

Datasheet

Version: 2.0.0
Revision date: 13 Sep 2025



Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q15738 (UniProt , ExPASy)
Gene Symbol:	NSDHL
GeneID:	50814
OMIM:	300275
HGNC:	13398
KEGG:	hsa:50814
Ensembl:	ENSG00000147383
String:	9606.ENSP00000359297
Molecular Weight:	Observed MW: 42 kDa, 40 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.