



RNA Polymerase II Subunit C (POLR2C) Antibody


Catalogue No.: abx236621



WB analysis of human kidney tissue, using POLR2C antibody (1/500 dilution).



IHC-P analysis of human cervical cancer tissue, using POLR2C antibody (1/100 dilution).



IP analysis of HeLa cell lysate (2000 µg), using POLR2C antibody (4 µg, detection: 1/500 dilution).

POLR2C Antibody is a Rabbit Polyclonal against POLR2C.

Target: RNA Polymerase II Subunit C (POLR2C)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 02 Oct 2025



Immunogen: polymerase(RNA) II(DNA directed) polypeptide C, 33kDa

Isotype: IgG

Form: Liquid

Purity: $\geq 95\%$ (SDS-PAGE)

Purification: Purified by immunogen affinity chromatography.

Storage: Aliquot and store at -20°C . Avoid repeated freeze/thaw cycles.

Validity: 12 months.

UniProt Primary AC: P19387 ([UniProt](#), [ExPASy](#))

Gene Symbol: POLR2C

GeneID: [5432](#)

OMIM: [180663](#)

HGNC: 9189

KEGG: hsa:5432

Ensembl: ENSG00000102978

String: [9606.ENSP00000219252](#)

Molecular Weight: Observed MW: 33 kDa

Buffer: PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.

Concentration: 2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.