



Proteasome Activator Subunit 3 (PSME3) Antibody


Catalogue No.: abx236896



WB analysis of human colon tissue, using PSME3 antibody (1/500 dilution).



IHC-P analysis of human colon cancer tissue, using PSME3 antibody (1/50 dilution).



IP analysis of COLO 320 cell lysate (2000 µg), using PSME3 antibody (3 µg, detection: 1/500 dilution).

PSME3 Antibody is a Rabbit Polyclonal against PSME3.

Target: Proteasome Activator Subunit 3 (PSME3)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IF/ICC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 29 Aug 2025



Immunogen:	proteasome(prosome, macropain) activator subunit 3(PA28 gamma; Ki)
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	P61289 (UniProt , ExPASy)
Gene Symbol:	PSME3
GeneID:	10197
OMIM:	605129
HGNC:	9570
KEGG:	hsa:10197
Ensembl:	ENSG00000131467
String:	9606.ENSP00000293362
Molecular Weight:	Observed MW: 30 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.