



RB1 Inducible Coiled-Coil 1 (RB1CC1) Antibody


Catalogue No.: abx237143




WB analysis of HeLa cells, using RB1CC1 antibody (1/1000 dilution).



IHC-P analysis of human breast cancer tissue, using RB1CC1 antibody (1/200 dilution).



IF analysis of HepG2 cells, using RB1CC1 antibody (1/25 dilution) and Rhodamine-conjugated goat anti-rabbit IgG (red).



IP analysis of HEK-293 cell lysate (2500 µg), using RB1CC1 antibody (5 µg, detection: 1/500 dilution).

RB1CC1 Antibody is a Rabbit Polyclonal against RB1CC1.

Target: RB1 Inducible Coiled-Coil 1 (RB1CC1)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Datasheet

Version: 3.0.0
Revision date: 28 Aug 2025



Tested Applications:	ELISA, WB, IHC, IF/ICC, IP
Host:	Rabbit
Recommended dilutions:	WB: 1/1000 - 1/6000, IHC: 1/20 - 1/200, IF/ICC: 1/10 - 1/100, IP: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	RB1-inducible coiled-coil 1
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q8TDY2 (UniProt , ExPASy)
Gene Symbol:	RB1CC1
GeneID:	9821
OMIM:	606837
HGNC:	15574
KEGG:	hsa:9821
Ensembl:	ENSG00000023287
String:	9606.ENSP00000025008
Molecular Weight:	Observed MW: 200 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml

Datasheet

Version: 3.0.0

Revision date: 28 Aug 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only