



REDD1 specific Antibody


Catalogue No.: abx237228



WB analysis of PC-3 cells, using REDD1 antibody (1/1000 dilution).



IHC-P analysis of human breast cancer tissue, using REDD1 antibody (1/100 dilution).



IP analysis of MCF-7 cell lysate (2500 µg), using REDD1 specific antibody (3 µg, detection: 1/500 dilution).

REDD1 specific Antibody is a Rabbit Polyclonal against REDD1 specific.

Target: REDD1 specific

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/5000, IHC: 1/50 - 1/200, IP: 1/200 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 11 Sep 2025



Immunogen:	DNA-damage-inducible transcript 4
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9NX09 (UniProt , ExPASy)
Gene Symbol:	DDIT4
GeneID:	54541
OMIM:	607729
HGNC:	24944
Ensembl:	ENSG00000168209
String:	9606.ENSP00000307305
Molecular Weight:	Observed MW: 35 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.