

SH3 And Cysteine Rich Domain (STAC) Antibody

Catalogue No.: abx238278



WB analysis of mouse liver tissue, using STAC antibody (1/600 dilution).

STAC Antibody is a Rabbit Polyclonal against STAC.

Target: SH3 And Cysteine Rich Domain (STAC)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: SH3 and cysteine rich domain

Isotype: IgG

Form: Liquid

Purity: ≥ 95% (SDS-PAGE)

Purification: Purified by immunogen affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Validity: 12 months.

UniProt Primary AC: Q99469 ([UniProt](#), [ExPASy](#))

Datasheet

Version: 2.0.0

Revision date: 13 Aug 2025



Gene Symbol:	STAC
GeneID:	6769
OMIM:	602317
HGNC:	11353
KEGG:	hsa:6769
Ensembl:	ENSG00000144681
String:	9606.ENSP00000273183
Molecular Weight:	Observed MW: 45 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only