



StAR Related Lipid Transfer Domain Containing 5 (STARD5) Antibody


Catalogue No.: abx238291



WB analysis of mouse liver tissue, using STARD5 antibody (1/500 dilution).



IHC-P analysis of human pancreas cancer tissue, using STARD5 antibody (1/100 dilution).



IF analysis of HepG2 cells, using STARD5 antibody (1/25 dilution) and AF488-conjugated Goat Anti-Rabbit IgG (H+L).

STARD5 Antibody is a Rabbit Polyclonal against STARD5.

Target: StAR Related Lipid Transfer Domain Containing 5 (STARD5)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/1000, IHC: 1/50 - 1/500, IF/ICC: 1/10 - 1/100. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 24 Sep 2025



Immunogen:	StAR-related lipid transfer(START) domain containing 5
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9NSY2 (UniProt , ExPASy)
Gene Symbol:	STARD5
GeneID:	80765
OMIM:	607050
HGNC:	18065
Ensembl:	ENSG00000172345
String:	9606.ENSP00000304032
Molecular Weight:	Observed MW: 24-26 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.