



Stromal Interaction Molecule 2 (STIM2) Antibody


Catalogue No.: abx238322



WB analysis of HeLa cells, using STIM2 antibody (1/1000 dilution).



IHC-P analysis of human spleen tissue, using STIM2 Antibody (1/200 dilution).



IP analysis of HEK-293 cell lysate (2000 µg), using STIM2 antibody (3 µg, detection: 1/500 dilution).

STIM2 Antibody is a Rabbit Polyclonal against STIM2.

Target: Stromal Interaction Molecule 2 (STIM2)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 4.0.0
Revision date: 26 Sep 2025



Immunogen:	stromal interaction molecule 2
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9P246 (UniProt , ExPASy)
Gene Symbol:	STIM2
GeneID:	57620
OMIM:	610841
HGNC:	19205
Ensembl:	ENSG00000109689
String:	9606.ENSP00000417569
Molecular Weight:	Observed MW: 85-115 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.