



Stomatin Like 2 (STOML2) Antibody


Catalogue No.: abx238347



WB analysis of HepG2 cells, using STOML2 antibody (1/1000 dilution).



IHC-P analysis of human stomach cancer tissue, using STOML2 Antibody (1/400 dilution). Heat-mediated antigen retrieval was carried out with Tris-EDTA buffer, pH 9.



IP analysis of mouse brain tissue lysate (4000 µg), using STOML2 antibody (4 µg, detection: 1/1000 dilution).

STOML2 Antibody is a Mouse Monoclonal against STOML2.

Target: Stomatin Like 2 (STOML2)

Clonality: Monoclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IP

Host: Mouse

Recommended dilutions: WB: 1/2000 - 1/10000, IHC: 1/50 - 1/500, IP: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 05 May 2025



Immunogen:	stomatin(EPB72)-like 2
Isotype:	IgG _{2a}
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by Protein A and Protein G affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9UJZ1 (UniProt , ExPASy)
Gene Symbol:	STOML2
GeneID:	30968
OMIM:	608292
HGNC:	14559
Ensembl:	ENSG00000165283
String:	9606.ENSP00000348886
Molecular Weight:	Observed MW: 39 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.