



STT3A, Catalytic Subunit of The Oligosaccharyltransferase Complex (STT3A) Antibody


Catalogue No.: abx238355



WB analysis of HEK-293 cells, using STT3A antibody (1/2000 dilution).



IHC-P analysis of human pancreas cancer tissue, using STT3A antibody (1/50 dilution).



IF analysis of HEK-293 cells, using STT3A antibody (1/50 dilution) and AF488-conjugated Goat Anti-Rabbit IgG (H+L).

STT3A Antibody is a Rabbit Polyclonal against STT3A.

Target: STT3A, Catalytic Subunit of The Oligosaccharyltransferase Complex (STT3A)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/1000 - 1/5000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Datasheet

Version: 4.0.0
Revision date: 16 Sep 2025



Conjugation:	Unconjugated
Immunogen:	STT3, subunit of the oligosaccharyltransferase complex, homolog A
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	P46977 (UniProt , ExPASy)
Gene Symbol:	STT3A
GeneID:	3703
OMIM:	601134
HGNC:	6172
KEGG:	hsa:3703
Ensembl:	ENSG00000134910
String:	9606.ENSP00000376472
Molecular Weight:	Observed MW: 100 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.