


## **Ubiquitin-Like Protein ISG15 (ISG15) Antibody**

Catalogue No.:abx026299



ISG15 is secreted from monocytes in response to type I interferons and causes natural killer (NK) cell proliferation and an augmentation of non-MCH (major histocompatibility complex) restricted cytotoxicity. Synthesis is stimulated by IFN-alpha or IFN-beta or IFN-omega, but not IFN-gamma. ISG15 expression is also induced by overexpression of interferon regulatory factors that participate in transcriptional regulation of IFN genes, and by influenza B virus. ISG15 is secreted also by cell lines of monocyte, T-lymphocyte, B-lymphocyte, human fibroblasts, and epithelial origins. The induction of terminal differentiation in human melanoma cells is associated with alterations in ISG15 expression. Enhancement of NK cell proliferation, augmentation of non-major histocompatibility complex-restricted cytotoxicity, and induction of IFN-gamma from T cells identify ISG15 as a member of the cytokine cascade and suggest that it may be responsible for amplifying and directing some of the immunomodulatory effects of IFN-alpha or IFN-beta. ISG15 has has also been shown to function intracellularly as a ubiquitin homolog.

Target: Ubiquitin-Like Protein ISG15 (ISG15)

Clonality: Polyclonal

Reactivity: Human

## **Datasheet**

Version: 3.0.0 Revision date: 02 Sep 2025



Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations should be

determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 31-61 amino acids from the N-terminal region of human

ISG15.

**Isotype**: IgG

Form: Liquid

**Purification:** Purified through a protein G column, eluted with high and low pH buffers and neutralized

immediately, followed by dialysis against PBS.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P05161 (<u>UniProt</u>, <u>ExPASy</u>)

NCBI Accession: NP 005092.1

**KEGG:** hsa:9636

String: 9606.ENSP00000368699

Molecular Weight: Calculated MW: 17.9 kDa

**Buffer:** PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC.

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.