



Transcription Factor AP-2 Gamma (TFAP2C) Antibody


Catalogue No.: abx238619



WB analysis of HeLa cells, using TFAP2C antibody (1/1000 dilution).



IHC-P analysis of human breast cancer tissue, using TFAP2C Antibody (1/400 dilution). Heat-mediated antigen retrieval was carried out with Tris-EDTA buffer, pH 9.



IP analysis of HeLa cell lysate (2800 µg), using TFAP2C antibody (4 µg, detection: 1/1000 dilution).

TFAP2C Antibody is a Rabbit Polyclonal against TFAP2C.

Target: Transcription Factor AP-2 Gamma (TFAP2C)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, FCM, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 11 Sep 2025



Immunogen:	transcription factor AP-2 gamma(activating enhancer binding protein 2 gamma)
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q92754 (UniProt , ExPASy)
Gene Symbol:	TFAP2C
GeneID:	7022
OMIM:	601602
HGNC:	11744
KEGG:	hsa:7022
Ensembl:	ENSG00000087510
String:	9606.ENSP00000201031
Molecular Weight:	Observed MW: 50 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.