


Radical S-Adenosyl Methionine Domain Containing 2 (TRIP10) Antibody

Catalogue No.: abx238996



WB analysis of K-562 cells, using TRIP10 antibody (1/2000 dilution).

TRIP10 Antibody is a Rabbit Polyclonal against TRIP10.

Target:	Radical S-Adenosyl Methionine Domain Containing 2 (TRIP10)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/5000, IF/ICC: 1/10 - 1/100, IP: 1/500 - 1/5000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	thyroid hormone receptor interactor 10
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.

Datasheet

Version: 4.0.0

Revision date: 23 Aug 2025



UniProt Primary AC: Q15642 ([UniProt](#), [ExPASy](#))

Gene Symbol: TRIP10

GeneID: [9322](#)

OMIM: [604504](#)

HGNC: 12304

KEGG: hsa:9322

Ensembl: ENSG00000125733

String: [9606.ENSP00000320117](#)

Molecular Weight: Observed MW: 75-85 kDa

Buffer: PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.

Concentration: 2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.