



TSC22 Domain Family Protein 2 (TSC22D2) Antibody


Catalogue No.: abx239036



WB analysis of HeLa cells, using TSC22D2 antibody (1/600 dilution).



IHC-P analysis of human kidney tissue, using TSC22D2 Antibody (1/50 dilution).



IP analysis of HepG2 cell lysate (2500 µg), using TSC22D2 antibody (5 µg, detection: 1/300 dilution).

TSC22D2 Antibody is a Rabbit Polyclonal against TSC22D2.

Target: TSC22 Domain Family Protein 2 (TSC22D2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC, IF/ICC, IP

Host: Rabbit

Recommended dilutions: WB: 1/200 - 1/2000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 03 Sep 2025



Immunogen:	TSC22 domain family, member 2
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	O75157 (UniProt , ExPASy)
Gene Symbol:	TSC22D2
GeneID:	9819
OMIM:	617724
HGNC:	29095
KEGG:	hsa:9819
Ensembl:	ENSG00000196428
String:	9606.ENSP00000354543
Molecular Weight:	Observed MW: 110 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.