



Transcription Termination Factor 2 (TTF2) Antibody


Catalogue No.: abx239092



WB analysis of A2780 cells, using TTF2 antibody (1/500 dilution).



IHC-P analysis of human ovary tumor tissue, using TTF2 antibody (1/100 dilution).



IP analysis of A2780 cell lysate (840 µg), using TTF2 antibody (4 µg, detection: 1/500 dilution).

TTF2 Antibody is a Rabbit Polyclonal against TTF2.

Target: Transcription Termination Factor 2 (TTF2)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IF/ICC, IP

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/5000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200, IP: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 04 Oct 2025



Immunogen:	transcription termination factor, RNA polymerase II
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9UNY4 (UniProt , ExPASy)
Gene Symbol:	TTF2
GeneID:	8458
String:	9606.ENSP00000358478
Molecular Weight:	Observed MW: 130 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.