



Uric Acid Degradation Bifunctional Protein TTL (TTL) Antibody

Catalogue No.: abx239096



WB analysis of SH-SY5Y cells, using TTL antibody (1/500 dilution).



IHC-P analysis of human liver tissue, using TTL antibody (1/50 dilution).

TTL Antibody is a Mouse Monoclonal against TTL.

Target: Uric Acid Degradation Bifunctional Protein TTL (TTL)

Clonality: Monoclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC

Host: Mouse

Recommended dilutions: WB: 1/200 - 1/2000, IHC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: tubulin tyrosine ligase

Isotype: IgG₁

Form: Liquid

Purity: ≥ 95% (SDS-PAGE)

Datasheet

Version: 3.0.0
Revision date: 29 Aug 2025



Purification: Purified by Protein A and Protein G affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Validity: 12 months.

UniProt Primary AC: Q8NG68 ([UniProt](#), [ExPASy](#))

Gene Symbol: TTL

GeneID: [150465](#)

OMIM: [608291](#)

HGNC: 21586

KEGG: hsa:150465

Ensembl: ENSG00000114999

String: [9606.ENSP00000233336](#)

Molecular Weight: Observed MW: 43 kDa

Buffer: PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.

Concentration: 2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.