



Thioredoxin Domain Containing 16 (TXNDC16) Antibody


Catalogue No.: abx239123



WB analysis of HEK-293 cells, using TXNDC16 antibody (1/600 dilution).



IHC-P analysis of human cervical cancer tissue, using TXNDC16 Antibody (1/50 dilution).



IF analysis of HeLa cells, using TXNDC16 antibody (1/50 dilution) and AF488-conjugated Goat Anti-Rabbit IgG (H+L).

TXNDC16 Antibody is a Rabbit Polyclonal against TXNDC16.

Target: Thioredoxin Domain Containing 16 (TXNDC16)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/200 - 1/2000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 12 Sep 2025



Immunogen:	thioredoxin domain containing 16
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9P2K2 (UniProt , ExPASy)
Gene Symbol:	TXNDC16
GeneID:	57544
OMIM:	616179
HGNC:	19965
Ensembl:	ENSG00000087301
String:	9606.ENSP00000281741
Molecular Weight:	Observed MW: 100 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.