



14-3-3 Sigma (SFN) Antibody


Catalogue No.: abx430935




abx430935 (0.03 µg/ml) staining of Human Skin lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



abx430935 (0.03 µg/ml) staining of A431 (A) and U2OS (B) cell lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx430935 (0.03 µg/ml) staining of Mouse (A) and Rat (B) Skin lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx430935 (2 µg/ml) staining of paraffin embedded Human Skin. Steamed antigen retrieval with Tris/EDTA buffer pH 9, HRP-staining.

14-3-3 sigma Antibody is a Goat Polyclonal antibody against 14-3-3 sigma.

Target: 14-3-3 Sigma (SFN)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Datasheet

Version: 3.0.0
Revision date: 13 Jun 2025



Tested Applications: P-ELISA, WB, IHC

Host: Goat

Recommended dilutions: P-ELISA: 1/16000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269821](#) - Internal region: C-DLHTLSEDSYKDST

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: SFN

GeneID: [2810](#) [55948](#) [313017](#)

NCBI Accession: NP_006133.1

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.