


Apoptosis Regulator Bcl-2 (BCL2) Antibody

Catalogue No.: abx431122



abx431122 (0.1 µg/ml) staining of Human Lymph lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

BCL2 Antibody is a Goat Polyclonal antibody against BCL2.

Target: Apoptosis Regulator Bcl-2 (BCL2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB

Host: Goat

Recommended dilutions: P-ELISA: 1/64000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269555](#) - N-Terminus: AGRTGYDNREIVMKYC

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P10415 ([UniProt](#), [ExPASy](#))

Gene Symbol: BCL2

GeneID: [596](#) [12043](#) [24224](#)

Datasheet

Version: 1.0.0

Revision date: 10 Oct 2025



OMIM: [151430](#)

NCBI Accession: NP_000624.2, NP_000648.2

HGNC: 990

KEGG: hsa:596

Ensembl: ENSG00000171791

String: [9606.ENSP00000381185](#)

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only