



Transcriptional Activator Myb (c-Myb) Antibody


Catalogue No.: abx431442



abx431442 (2 µg/ml) staining of MOLT4 cell lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



abx431442 (4 µg/ml) staining of paraffin embedded Human Kidney. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Negative Control showing staining of paraffin embedded Human Kidney, with no primary antibody.

c-Myb Antibody is a Goat Polyclonal antibody against c-Myb.

Target: Transcriptional Activator Myb (c-Myb)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB, IHC

Host: Goat

Recommended dilutions: P-ELISA: 1/4000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 15 Sep 2025



Immunogen:	abx615186 - Internal region, 281-294 AA: C-QRHYNDEDPEKEKR
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	MYB
GeneID:	4602 17863
NCBI Accession:	NP_001123645.1, NP_005366.2, NP_001123644.1, NP_001155128.1, NP_001155129.1, NP_001155130.1, NP_001155131.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.