



Radical S-Adenosyl Methionine Domain Containing 2 (NIPSNAP3B) Antibody

Catalogue No.: abx026598



NIPSNAP3B belongs to a family of proteins with putative roles in vesicular trafficking (Buechler et al., 2004 [PubMed 15177564]).

Target: Radical S-Adenosyl Methionine Domain Containing 2 (NIPSNAP3B)

Clonality: Polyclonal

Reactivity: Mouse

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 189-218 amino acids from the C-terminal region of human NIPSNAP3B.

Isotype: IgG

Form: Liquid

Datasheet

Version: 3.0.0

Revision date: 21 Aug 2025



Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9BS92 (UniProt , ExPASy)
Gene Symbol:	NIPSNAP3B
String:	9606.ENSP00000363894
Molecular Weight:	Calculated MW: 28.3 kDa
Buffer:	PBS containing 0.09% sodium azide.
Specificity:	Predicted to react with Human NIPSNAP3B.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only