


Induced Myeloid Leukemia Cell Differentiation Protein (MCL1) Antibody

Catalogue No.: abx431424



abx431424 staining (1 µg/ml) of Human Lung lysate (RIPA buffer, 35 µg total protein per lane). Primary incubated for 1 hour. Detected by chemiluminescence.

MCL1 Antibody is a Goat Polyclonal antibody against MCL1.

Target: Induced Myeloid Leukemia Cell Differentiation Protein (MCL1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB

Host: Goat

Recommended dilutions: P-ELISA: 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269532](#) - C-Terminus: C-AGVGAGLAYLIR

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: MCL1

GeneID: [4170](#) [17210](#)

NCBI Accession: NP_068779.1, NP_001184249.1

Datasheet

Version: 2.0.0

Revision date: 16 Oct 2025



Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only