



Monoacylglycerol-O-Acyltransferase 2 (MOGAT2) Antibody

Catalogue No.: abx432980



abx432980 (0.05 µg/ml) staining of Human Duodenum lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx432980 (3.75 µg/ml) staining of paraffin embedded Human Small Intestine. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining.

MOGAT2 Antibody is a Goat Polyclonal antibody against MOGAT2.

Target: Monoacylglycerol-O-Acyltransferase 2 (MOGAT2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB, IHC

Host: Goat

Recommended dilutions: P-ELISA: 1/32000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx616357](#) - Internal region: C-KESAAHILNRK

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Datasheet

Version: 4.0.0

Revision date: 07 Jun 2025



Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	MOGAT2
GeneID:	80168
NCBI Accession:	NP_079374.2
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only