



PAR6alpha Antibody


Catalogue No.: abx430888




abx430888 (2 µg/ml) staining of Jurkat (A) and U251 (B) cell lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx430888 (5 µg/ml) staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



abx430888 (10 µg/ml) staining of paraffin embedded Human Pancreas. Microwaved antigen retrieval with Tris/EDTA buffer pH9, HRP-staining.



Flow cytometry analysis of paraformaldehyde fixed Jurkat cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

PAR6alpha Antibody is a Goat Polyclonal antibody against PAR6alpha.

Target: PAR6alpha

Clonality: Polyclonal

Reactivity: Human

Datasheet

Version: 3.0.0
Revision date: 08 Oct 2025



Tested Applications: P-ELISA, WB, IHC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/8000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269462](#) - C-Terminus: C-GSRIRGDGSGFSL

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: PARD6A

GeneID: [50855](#)

NCBI Accession: NP_058644.1, NP_001032358.1

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.