


PR Domain Zinc Finger Protein 16 (PRDM16) Antibody

Catalogue No.: abx430739



Flow cytometry analysis of paraformaldehyde fixed HEK293 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

PRDM16 Antibody is a Goat Polyclonal antibody against PRDM16.

Target: PR Domain Zinc Finger Protein 16 (PRDM16)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: P-ELISA, FCM, ChIP

Host: Goat

Recommended dilutions: P-ELISA: 1/32000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269217](#) - C-Terminus: C-TSESGAFHPINHL

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: PRDM16

GeneID: [63976](#)

NCBI Accession: NP_071397.3, NP_955533.2

Datasheet

Version: 1.0.0

Revision date: 27 Jun 2025



Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only