



PSMF1 (Isoform 1) Antibody


Catalogue No.: abx430113



abx430113 staining (0.3 µg/ml) staining of HEK293 (A), K562 (B) and (1 µg/ml) LNCaP (C) cell lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx430113 (1 µg/ml) staining of KNRK (A), NIH3T3 (B) and (0.3 µg/ml) Neuro2a (C) cell lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



Immunofluorescence analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (2 µg/ml), showing endoplasmic reticulum and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10 µg/ml) followed by AF488 secondary antibody (2 µg/ml).

PSMF1 (Isoform 1) Antibody is a Goat Polyclonal antibody against PSMF1 (Isoform 1).

Target: PSMF1 (Isoform 1)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: P-ELISA, WB, IF/ICC

Host: Goat

Recommended dilutions: P-ELISA: 1/32000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 01 Oct 2025



Immunogen:	abx269300 - C-Terminus: C-DHLPPPGYDDMYL
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	PSMF1
GeneID:	9491 228769
NCBI Accession:	NP_006805.2
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only