


## RAD51 Paralog C (RAD51C) Antibody

Catalogue No.: abx433211



abx433211 staining (2 µg/ml) of HeLa lysate (RIPA buffer, 30 µg total protein per lane). Primary incubated for 12 hour. Detected by western blot using chemiluminescence.

RAD51C Antibody is a Goat Polyclonal antibody against RAD51C.

**Target:** RAD51 Paralog C (RAD51C)

**Clonality:** Polyclonal

**Reactivity:** Human

**Tested Applications:** P-ELISA, WB

**Host:** Goat

**Recommended dilutions:** P-ELISA: 1/32000. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** Unconjugated

**Immunogen:** [abx269249](#) - N-Terminus: RGKTFRFEMQRDL-C

**Isotype:** IgG

**Form:** Liquid

**Purification:** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

**Gene Symbol:** RAD51C

**GeneID:** [5889](#)

**NCBI Accession:** NP\_002867.1, NP\_478123.1

# Datasheet

Version: 3.0.0

Revision date: 30 Sep 2025



**Buffer:** Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

**Concentration:** 0.5 mg/ml

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only