



Restin Antibody


Catalogue No.: abx430683




Flow cytometry analysis of A549 cells (blue) using Restin Antibody (10 µg/ml) with a secondary antibody conjugated to AF488 (1 µg/ml). Non-specific Goat IgG antibody with a secondary antibody conjugated to AF488 (black) was used as a negative control.




IF analysis of A431 cells, using Restin Antibody (10 µg/ml) with a secondary antibody conjugated to AF488 (2 µg/ml), showing cytoplasmic staining. Blue DAPI was used as a nuclear stain. Non specific Goat IgG antibody with a secondary antibody conjugated to AF488 was used as a negative control.



IF analysis of A549 cells, using Restin Antibody (10 µg/ml) with a secondary antibody conjugated to AF488 (2 µg/ml), showing cytoplasmic staining. Blue DAPI was used as a nuclear stain. Non specific Goat IgG antibody with a secondary antibody conjugated to AF488 was used as a negative control.




IHC-P analysis of Human Thyroid Gland using Restin Antibody (2.5 µg/ml).



IHC-P analysis of Human Prostate using Restin Antibody (2.5 µg/ml).

Datasheet

Version: 4.0.0
Revision date: 31 Aug 2025



WB analysis of A: HEK293 cell lysate using Restin Antibody (0.1 µg/ml), Images B and C: HepG2, A549 cell lysate (0.3 µg/ml), and Image D: HeLa cell lysate (1 µg/ml).

Restin Antibody is a Goat Polyclonal antibody against Restin.

Target:	Restin
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	P-ELISA, WB, IHC, IF/ICC, FCM
Host:	Goat
Recommended dilutions:	P-ELISA: 1/8000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx615981 - C-Terminus: C-PHSTHHGSRGEERP
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	CLIP1
GeneID:	6249 56430 65201
NCBI Accession:	NP_002947.1, NP_937883.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Datasheet

Version: 4.0.0

Revision date: 31 Aug 2025



Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only