



RZF (Isoform 1 and 3) Antibody


Catalogue No.: abx430594




Western blot analysis of A431 (A) and HeLa (B) cell lysate (35µg protein in RIPA buffer) using RZF (Isoform 1 and 3) Antibody. Detected by chemiluminescence.



Immunohistochemistry analysis of paraffin-embedded Human Kidney using RZF (Isoform 1 and 3) Antibody (5 µg/ml). Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Negative Control showing staining of paraffin embedded Human Kidney, with no primary antibody.



Flow cytometric analysis of paraformaldehyde fixed A431 cells (blue line), permeabilized with 0.5% Triton, using RZF (Isoform 1 and 3) Antibody (10 µg/ml, 1 hour) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

RZF (Isoform 1 and 3) Antibody is a Goat Polyclonal antibody against RZF (Isoform 1 and 3).

Target: RZF (Isoform 1 and 3)

Clonality: Polyclonal

Reactivity: Human

Datasheet

Version: 2.0.0
Revision date: 07 Oct 2025



Tested Applications: P-ELISA, WB, IHC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269301](#) - C-Terminus: C-PNGERDYNIANTV

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: RNF13

GeneID: [11342](#)

NCBI Accession: NP_009213.1

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.