
Datasheet

Version: 3.0.0 Revision date: 15 Oct 2025



Neuroendocrine Secretory Protein 55 (GNAS) Antibody

Catalogue No.:abx002073



Western blot analysis of various lysates using GNAS Antibody at 1/400 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.

Neuroendocrine Secretory Protein 55 (GNAS) Antibody is a Rabbit Polyclonal antibody against Neuroendocrine Secretory Protein 55 (GNAS). This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, and this DMR is commonly found in imprinted genes and correlates with transcript expression. An antisense transcript is produced from an overlapping locus on the opposite strand. One of the transcripts produced from this locus, and the antisense transcript, are paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Multiple transcript variants encoding different isoforms have been found for this gene. Mutations in this gene result in pseudohypoparathyroidism type 1a, pseudohypoparathyroidism type 1b, Albright hereditary osteodystrophy, pseudopseudohypoparathyroidism, McCune-Albright syndrome, progressive osseus heteroplasia, polyostotic fibrous dysplasia of bone, and some pituitary tumors. [provided by RefSeq, Aug 2012].

Target: Neuroendocrine Secretory Protein 55 (GNAS)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB

Host: Rabbit

 $\textbf{Recommended dilutions:} \ \ \text{ELISA: 1 } \ \mu\text{g/ml, WB: 1/500 - 1/2000.} \ \ \text{Optimal dilutions/concentrations should be determined by the like the dilutions of the like$

end user.

Conjugation: Unconjugated

Immunogen: Synthetic peptide corresponding to GNAS. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Datasheet

Version: 3.0.0 Revision date: 15 Oct 2025



Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P63092 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: GNAS

GeneID: 2778

KEGG: hsa:2778

Molecular Weight: Calculated MW: 28/44/45/77/109/111 kDa

Observed MW: 43 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.

2 of 2