



5-Hydroxytryptamine Receptor 3A (HTR3A) Antibody


Catalogue No.: abx430983



abx430983 (0.3 µg/ml) staining of Human Colon lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx430983 (3.75 µg/ml) staining of paraffin embedded Human Small Intestine. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Flow cytometry analysis of paraformaldehyde fixed HeLa cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

5-Hydroxytryptamine Receptor 3A (HTR3A) Antibody is a Goat Polyclonal antibody against 5-Hydroxytryptamine Receptor 3A (HTR3A).

Target: 5-Hydroxytryptamine Receptor 3A (HTR3A)

Clonality: Polyclonal

Reactivity: Human, Rat

Tested Applications: P-ELISA, IHC, IF/ICC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/128000. Optimal dilutions/concentrations should be determined by the end user.

Datasheet

Version: 3.0.0
Revision date: 09 Oct 2025



Conjugation:	Unconjugated
Immunogen:	abx269942 - Internal region: C-GPQDFEKSPPDR
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	HTR3A
GeneID:	3359
NCBI Accession:	NP_998786.3, NP_000860.3, NP_001155244.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.