



Stearoyl-CoA desaturase Antibody

Catalogue No.: abx433326



abx433326 (5 µg/ml staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



abx433326 (2.5ul) staining of HepG2 cells mixed in with PBL. Detected by fluorescence with PE for SCD in green and with OC515 for CD45 (CYT-450C) in red.

Stearoyl-CoA desaturase Antibody is a Goat Polyclonal antibody against Stearoyl-CoA desaturase.

Target: Stearoyl-CoA desaturase

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, IHC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/64000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx269840](#) - C-Terminus: C-RIKRTGDGNYKSG

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Datasheet

Version: 4.0.0

Revision date: 02 Oct 2025



Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	SCD
GeneID:	6319
NCBI Accession:	NP_005054.3
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only