



Tripartite Motif-Containing Protein 2 (TRIM2) Antibody


Catalogue No.: abx432220



abx432220 (0.5 µg/ml) staining of Rat Brain (A) + Peptide (B) lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.



abx432220 (6.3 µg/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Flow cytometry analysis of paraformaldehyde fixed Jurkat cells (blue line), permeabilized with 0.5% Triton. Primary incubation overnight (10 µg/ml) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

TRIM2 Antibody is a Goat Polyclonal antibody against TRIM2.

Target: Tripartite Motif-Containing Protein 2 (TRIM2)

Clonality: Polyclonal

Reactivity: Human, Rat

Tested Applications: P-ELISA, WB, IHC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/16000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 3.0.0
Revision date: 14 Sep 2025



Immunogen:	abx269331 - C-Terminus: DSGNHCFKVYRYLQ
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	TRIM2
GeneID:	23321 80890
NCBI Accession:	NP_056086.2, NP_001123539.1, NP_001337983.1, NP_001337984.1, NP_001337985.1, NP_001337986.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.