



Tripartite Motif-Containing Protein 29 (TRIM29) Antibody


Catalogue No.: abx430690




abx430690 (1 µg/ml) staining of Peripheral Blood Mononucleocyte (A) and (0.1 µg/ml) HeLa (B) cell lysate (35 µg protein in RIPA buffer). Detected by chemiluminescence.




abx430690 (3.75 µg/ml) staining of paraffin embedded Human Skin. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



abx430690 Immunofluorescence analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (4 µg/ml), showing cytoplasmic and intermediate filament staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10 µg/ml) followed by AF488 secondary antibody (4 µg/ml).



abx430690 Immunofluorescence analysis of paraformaldehyde fixed U2OS cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (4 µg/ml), showing nuclear staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10 µg/ml) followed by AF488 secondary antibody (4 µg/ml).



Flow cytometry analysis of paraformaldehyde fixed A431 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (2 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

Datasheet

Version: 3.0.0
Revision date: 10 Sep 2025



TRIM29 Antibody is a Goat Polyclonal antibody against TRIM29.

Target:	Tripartite Motif-Containing Protein 29 (TRIM29)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	P-ELISA, WB, IHC, IF/ICC, FCM
Host:	Goat
Recommended dilutions:	P-ELISA: 1/128000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx616135 - Internal region: C-EKDRIKSFTTNE
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	TRIM29
GeneID:	23650 72169 300656
NCBI Accession:	NP_036233.2, NP_001317311.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.