


WAP Four Disulfide Core Domain Protein 2 (WFDC2) Antibody

Catalogue No.: abx433456



HEK293 lysate (10 µg protein in RIPA buffer) overexpressing Human WFDC2 with C-terminal MYC tag probed with abx433456 (1 µg/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C. Mock-transfected HEK293 probed with abx433456 (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.

WFDC2 Antibody is a Goat Polyclonal antibody against WFDC2.

Target: WAP Four Disulfide Core Domain Protein 2 (WFDC2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB

Host: Goat

Recommended dilutions: P-ELISA: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx616219](#) - Internal region, 29-43 AA: GAEKTGVCPELQADQ

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: WFDC2

GeneID: [10406](#)

NCBI Accession: NP_006094.3

Datasheet

Version: 2.0.0

Revision date: 06 Sep 2025



Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only