



VGF Nerve Growth Factor Inducible (VGF) Antibody


Catalogue No.: abx132002



Western blot analysis of Rat Liver lysate, using Rat ARG Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



Western blot analysis of recombinant Human VGF.



IHC-P analysis of Human Cerebrum Tissue, with DAB staining.



IHC-P analysis of Human Cerebrum Tissue, with DAB staining.

VGF Nerve Growth Factor Inducible Antibody is a Mouse Monoclonal against VGF Nerve Growth Factor Inducible.

Target: VGF Nerve Growth Factor Inducible (VGF)

Clonality: Monoclonal

Reactivity: Human

Datasheet

Version: 4.0.0
Revision date: 26 Jun 2025



Tested Applications: WB, IHC, IF/ICC

Host: Mouse

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Asp330-Pro449

Isotype: IgG_{2b} Kappa

Form: Liquid

Purification: Purified by Protein A and Protein G affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: O15240 ([UniProt](#), [ExPASy](#))

KEGG: hsa:7425

String: [9606.ENSP00000249330](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.