



Amyloid beta 42 (Abeta42) Antibody


Catalogue No.: abx132117




Western blot analysis of (1) Human HeLa cells and (2) Human 293T Cells using Amyloid beta 42 (Abeta42) Antibody.




Immunohistochemistry analysis of paraffin-embedded Human Stomach Cancer Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




Immunohistochemistry analysis of paraffin-embedded Human Prostate Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




Immunohistochemistry analysis of paraffin-embedded Human Glioma Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



Immunohistochemistry analysis of paraffin-embedded Human Stomach Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



Immunohistochemistry analysis of paraffin-embedded Human Lung Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



Immunohistochemistry analysis of paraffin-embedded Human Cerebrum Tissue, with DAB staining, using Abeta42 antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Amyloid beta 42 (Abeta42) Antibody is a Mouse Monoclonal against Amyloid beta 42 (Abeta42).

Target: Amyloid beta 42 (Abeta42)

Clonality: Monoclonal

Clone: Z334

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Mouse

Recommended dilutions: WB: 0.5-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx165506](#) - Synthetic Peptide (SNKG AIIGLMVGGV VIA) conjugated to OVA.

Isotype: IgG_{2b} Kappa

Form: Liquid

Purification: Purified by Protein A and Protein G affinity chromatography.

Datasheet

Version: 7.0.0

Revision date: 19 Oct 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P05067 ([UniProt](#), [ExPASy](#))

Buffer: PBS, pH 7.4, containing 0.02% NaN₃, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only